



**NCG CORPORATE**

# **Fencing Accessories**

**Contact us:** [info@ncgcorporate.com](mailto:info@ncgcorporate.com) **T:**0172-4014825; **M:**+91-9779044006  
[www.ncgcorporate.com](http://www.ncgcorporate.com)





**NCG CORPORATE**

# **POST BASE/GROUND PLATE**



Product Information	
Finishes Available	Powder coated & Hot Dip Galvanized
Sizes	71x71 mm, 81x81 mm, 91x91 mm & 96x96 mm
Length	150 mm
Width	150 mm
Height	150 mm
Thickness	1.5, 1.8 & 2.00 mm

**Contact us:** [info@ncgcorporate.com](mailto:info@ncgcorporate.com) **T:**0172-4014825; **M:**+91-9779044006  
[www.ncgcorporate.com](http://www.ncgcorporate.com)





**NCG CORPORATE**

# **POST SPIKE/POLE ANCHOR**



Product Information	
Finishes Available	Powder coated & Hot Dip Galvanized
Sizes	48x48 mm, 71x71 mm, 81x81 mm, 91x91 mm, 101x101 mm, 121x121 mm, 141x141mm
Length	600, 750, 950 mm
Thickness	1.5, 1.8 & 2.00 mm

**Contact us:** [info@ncgcorporate.com](mailto:info@ncgcorporate.com) **T:**0172-4014825; **M:**+91-9779044006

[www.ncgcorporate.com](http://www.ncgcorporate.com)





NCG CORPORATE

# POST/POLE SUPPORT CAPS



## Product Information

Finishes Available	Powder coated & Hot Dip Galvanized, Aluminium die-cast, Copper & Stainless Steel
Sizes	48, 62, 71, 91, 97 & 101 mm
Thickness	0.8, 0.9 & 1 mm

Contact us: [info@ncgcorporate.com](mailto:info@ncgcorporate.com) T:0172-4014825; M:+91-9779044006  
[www.ncgcorporate.com](http://www.ncgcorporate.com)





**NCG CORPORATE**

# POST SUPPORT BRACKETS (Y FORM & L FORM)



Product Information	
Finishes Available	Hot Dip Galvanized
Sizes	48, 71, 73,75-L, 91, 98 mm
Thickness of U bracket	4 mm
Thickness of TMT Rod	16 & 18 MM

Contact us:[info@ncgcorporate.com](mailto:info@ncgcorporate.com) T:0172-4014825; M:+91-9779044006  
[www.ncgcorporate.com](http://www.ncgcorporate.com)





**NCG CORPORATE**

# **POST SUPPORT ADJUSTABLE SHOE** **COLUMNS (BRACKETS)**



Product Information	
Finishes Available	Hot Dip Galvanized
Sizes	46, 48, 51, 72, 75-L, 98 mm
Thickness of U bracket	4 & 5 mm
Thickness of Threaded Rod	M16 & M20 MM
Length of Threaded Rod	108,116,120,125,150,175,220

**Contact us:** [info@ncgcorporate.com](mailto:info@ncgcorporate.com) **T:**0172-4014825; **M:**+91-9779044006  
[www.ncgcorporate.com](http://www.ncgcorporate.com)





**NCG CORPORATE**



**Crowd Barrier / Fence Gates**  
**(Hot Dip Galvanized & Power Coated)**

**Contact us:** [info@ncgcorporate.com](mailto:info@ncgcorporate.com) **T:**0172-4014825; **M:**+91-9779044006  
[www.ncgcorporate.com](http://www.ncgcorporate.com)

