

Simplifying Procurement



MANUFACTURERS & EXPORTERS OF STEEL PRODUCTS

PIPE CLAMPS | TRESTLE | U BOLTS | ANGLE BRACKETS | DOCKING ACCESSORIES
HINGES & GATE ACCESSORIES | SCAFFOLDING | CONNECTORS | FASTENERS |
FENCING GATES | LIVESTOCK GATES | CROWD BARRIERS | FENCING ACCESSORIES

COMPANY PROFILE

NCG Corporate is a manufacturer and exporter of **customized engineering steel products**. NCG management has more than 30+ years of years in manufacturing, international business, quality, procurement, and supply chain.

The team has deep expertise of sourcing, production, design and processes. Best in class manufacturing facility augmented with vast industry experience enhances the final value delivered to its customers.



NCG is fully equipped to deliver various sheet metal customized engineered components like Angle brackets, Fencing products & accessories, fasteners & Ubolts and many other construction related products.

The vast experience in supply chain & sourcing working in large corporates brings in professional dealing with clients with assurance of commitment to **quality** and **timely deliveries**.

We continuously work with our customers to find the most optimized way of **packaging & transportation** to reduce the cost.

We Serve :

Construction
Agriculture
Energy - Solar
Appliances
Automotive

OUR CORE VALUES

- | | |
|-------------------------|------------------|
| ✓ Customer Satisfaction | ✓ Innovation |
| ✓ Respect | ✓ Responsibility |
| ✓ Honesty | ✓ Dynamism |
| ✓ Team Work | ✓ Flexibility |

FINISHES

- | | |
|----------------------|-------------------|
| ✓ Hot Dip Galvanized | ✓ Electro Painted |
| ✓ Powder Coated | ✓ Painted |

Customised products as per **drawings / designs / specifications** is the key strength of NCG team.

QUALITY PRODUCTS & CUSTOMER SERVICE
ARE THE CORNERSTONES OF OUR BUSINESS

QUALITY POLICY

Quality has always remained a priority with our organization and is never compromised on under any circumstances. The in-house inspection team checks quality at all the levels and maintain documents like: test certificates / material testing reports from accredited laboratories.

Incoming Inspection: Purchase of raw material/ consumables / components supported with proper tracking records.

In process Inspection: Daily inspections are done during production of all articles.

Pre dispatch inspection reports: Complete inspection reports capturing all CTQ parameters.

We strictly adhere to industrial norms and ISO standards with proper records & traceability. New Product Development & Engineering Design. Today Research & development is most important aspect of customer service in Industry.

We at NCG have dedicated team of qualified engineers who deploy various methods for quick new product development / 3D modeling & design in dies / jigs & fixtures.

INFRASTRUCTURE & FACILITIES

NCG CORPORATE strives to meet your specific needs so you can compete in the industry. The company has modernized its plant with capability to produce its range of products to meet the demand in the market.

NCG CORPORATE does not believe in making only profit from business, it also keeps in mind the social and environment concern.

Our all the machinery is thoroughly maintained at regular intervals to keep a strict check on disorders resulting in any kind of pollution.



OUR MACHINES

- | Power Press Machines
- | Welding Machines- MIG/ SPOT/ ARC
- | Semi- Auto Cutting Machines
- | Bending Machines
- | Drill Machines
- | Chop Saw Machines
- | Bench Saw Machines
- | Bench Grinder Machines
- | Portable Compressor
- | SPMs- cutting Machines
- | Lathe Machines
- | CNC Turning Machines
- | Surface Grinders



VISION

To be reliable manufacturers, suppliers & exporters of valuable patrons by offering them a technically superior and commercially viable product, would meet and exceed their expectations. Continuous up-gradation of our technology / Implement effective quality management systems.

And the overall growth of every employee in consonance with the company's growth. To increase the market focuses on Construction, Agriculture, Automotive, Industrial, or allied Industries etc.



MISSION

Provide quality products and services to our customers through our global reach by employing the latest technology, thus efficiently utilizing our resources.

Build internal skills, trusted associates and strive for inclusive growth.

Achieve success together with passion, trust, honesty and integrity.

A close-up photograph of a stack of gold coins, with the word 'VALUE' overlaid in yellow text.

VALUE

A photograph showing hands holding a ruler and measuring a piece of material, with the word 'QUALITY' overlaid in yellow text.

QUALITY


A photograph of a hand writing on a whiteboard, with the word 'INNOVATION' overlaid in yellow text.

INNOVATION

A photograph of a person wearing a hard hat and safety glasses, with the words 'CUSTOMER FOCUS' overlaid in yellow text.


CUSTOMER
FOCUS

WE CAN DEVELOP, MANUFACTURE ANY TYPE OF CUSTOMIZED ENGINEERING COMPONENTS
AS PER CUSTOMER DRAWINGS & SPECIFICATIONS



STANDARD ANTI CLIMB PANEL

| L : 3450mm
 | H : 2025mm
 | Weight : 13.6 Kg



FIXED LEG WALKTHROUGH

| L : 2266mm
 | H : 2143mm
 | Weight : 12.9 Kg



**HEAVY DUTY ROUND TOP
ANTI CLIMB PANEL**

| L : 3450mm
 | H : 2000mm
 | Weight : 16.0 Kg




LINK CHAIN GATE

| L : 3450mm
 | H : 2025mm
 | Weight : 13.6 Kg



FARM GATE

| L : 1000-1200mm
 | H : 1000-1200mm




V TYPE FARM GATE

| L : 900 to 4800mm
 | H : 900 to 1800mm



EXPANDED MESH GATES

| L : 3200mm
 | H : 1500mm



MESH GATES

| L : 900 to 4800mm
 | H : 900 to 1800mm



MESH GATES CHAIN LINK

| L : 900 to 2500mm
 | H : 1200 to 1800mm



MESH CROWD BARRIER

| L : 1200mm to 1800mm
 | H : 1500mm to 1800mm



FOLDABLE & EXPENDABLE

| L : 1500mm to 4000mm
 | H : 1200mm to 1500mm



ROAD BARRICADE

| L : 1500mm to 2100mm
 | H : 1200 mm to 1500mm



FIXED LEG BARRIERS

| L : 2262mm
 | H : 1100mm
 | Weight : 10.6 Kg



ROAD BARRICADE WITH MESH

| L : 1500mm to 3000mm
 | H : 1800mm to 2700mm



LADDER

| L : 900mm to 4800mm
 | H : 1200mm to 1800mm



CATTLE HURDLES

| L : 3200mm
 | H : 1500mm



CATTLE HURDLES

| L-3000 to 4800mm
 | W-3000 to 4800mm
 | H- 1500 to 2000mm



LIVE STOCK

| L-3000 to 4800mm
 | W-3000 to 4800mm
 | H- 1500 to 2000mm



ADJUSTABLE WOOD ADAPTER



CORNER WOOD ADAPTER



PANEL CLAMP



BRACE/END RAIL CLAMP



SLEEVE



FORK LATCH ASSEMBLIES



GATE HARDWARE SETS



ADJUSTABLE BOTTOM



BRACE BAND




STAPLE



SELF-LOCKING GATE CATCH

HINGES & WINDOW ACCESSORIES





ANGLE BRACKET WITH SUPPORT

Angle of Brackets

| 15°, 25°, 35° & 45°

Pipe Size

| 20mm-35mm

Thickness

| 1mm-3mm




HEAVY DUTY BRACKET

Sizes

| 150*200*150mm

Thickness

| 3mm-8mm



T SHELF

Length


| 150mm-300mm

Pipe Size

| 20mm-35mm

Thickness

| 1mm-5mm



FLOATING SHELF BRACKET

Length

| 150mm to 300mm

Dia

| 10mm to 20mm



WINDOW BRACKET

Sizes

| 150*200*150mm

Thickness

| 1mm-3mm



L BRACKET

Size

| 150*200mm

Pipe Size

| 20mm-35mm





SIGNBOARD CLAMP

Clamping Capacity

| 60mm to 150mm

Width Size

| 20mm-35mm

Thickness

| 3mm-6mm



SIGNBOARD CLAMP

Clamping Capacity

| 60mm to 150mm

Width Size

| 20mm-35mm

Thickness

| 3mm-6mm



BOARD CLAMPS

Clamping Capacity

| 60mm to 150mm

Width Size

| 20mm-35mm

Thickness

| 3mm-6mm



BOARD CLAMPS

Clamping Capacity

| 60mm to 150mm

Width Size

| 20mm-35mm

Thickness

| 3mm-6mm



PIPE CLAMPS

Clamping Capacity

| 30mm to 120mm

Width Size

| 20mm-35mm

Thickness

| 3mm-6mm



PIPE CLAMPS

Clamping Capacity

| 20mm to 70mm

Width Size

| 20mm-35mm

Thickness

| 3mm-6mm



PIPE CLAMPS

Clamping Capacity

| 60mm to 118mm

Width Size

| 20mm-35mm

Thickness

| 3mm-6mm



PIPE CLAMPS

Clamping Capacity

| 40mm to 90mm

Width Size

| 20mm-35mm

Thickness

| 3mm-6mm



U BOLTS



Some are customer specific design only for reference purpose.



DOCKING ACCESSORIES



GROUND PLATES

LENGTH OF PIPE :- 150MM TO 300MM
PIPE SIZE :- 40MM TO 70MM
PLATE SIZE :- 100MM*200MM
THICKNESS :- 1.5MM TO 5MM



GROUND PLATES

LENGTH OF PIPE :- 150MM TO 500MM
PIPE SIZE :- 40MM TO 70MM
PLATE SIZE :- 100MM*200MM
THICKNESS :- 1.5MM TO 5MM



GROUND PLATES

LENGTH OF PIPE :- 100MM TO 300MM
PIPE SIZE :- 40MM TO 60MM
PLATE SIZE :- 100MM*200MM
THICKNESS :- 1.5MM TO 5MM



ADJUSTABLE DOCK SUPPORT SYSTEM

LENGTH OF PIPE :- 150MM TO 300MM
PIPE SIZE :- 40*40MM TO 60*60MM
PLATE SIZE :- 100MM*200MM
THICKNESS :- 1.5MM TO 5MM

TRACTOR PARTS



BATTERY COVER



BRACKET FILTER



FENDER SUPPORT



FOOT REST



AXLE



BRAKE CLUTCH / PADDLE



SINGLE WALL CLAMP



BASE PLATE



TIE ROD



WING NUT



TIMBER WALL CLAMP



U HEAD JACK



ADJUSTABLE JOINT PIN CLAMP



C CLAMPS

Pole Anchor / Timber Connectors



POST BASE PLATE



ROUND POST BASE PLATE



Y FORM CONNECTORS




GROUND SPIKES



T POLE ANCHOR



U SHAPED ANCHOR



BRACKETS



H FORM



CENTER BOLTS



HEX HEAD BOLTS



SQUARE HEAD BOLTS



CARRIAGE BOLTS



HEX NUTS



SQUARE NUTS



LONG NUTS



SPRING WASHERS



SQUARE WASHERS



PACK WASHERS



FOUNDATION BOLTS



J BOLTS



STUDS




THREADED RODS




EYE BOLTS & EYE NUTS



HUB BOLTS



Aluminum Sheet/Coils



Aluminum Extrusions



Aluminum Casting Components



Steel Pipes




Tractor Linkage
& Towing Parts



Machined Components



Garden Tools



Hand Tools



Forging Components

Vendor Development & Management

These services are structured by NCG for extending its clients with unique opportunity to reduce its new vendor development time & cost. We ensure smooth transition to new vendor through our experienced team & processes. We provide these services through our established model to meet the objective of our customers. The in house developed frameworks for vendor development through our vast experience emphasis on development of alternate vendors who work as partners of their customers.




Procurement Outsourcing Services

Through Procurement Outsourcing you gain access to a flexible global network of operations that is experienced in conducting regional and global sourcing operations. Other key reasons why one shall consider procurement outsourcing are:

1. Difficult to have experts hired for particular projects.
2. The speed with which sourcing has to deliver to business sometimes needs more hands than heads.
3. New perspective infusion to ongoing operations.
4. The inherent cost benefit of outsourcing.
5. Bench marking through international buying teams.

Engineering Design Services

Our trained engineering services professionals integrate their in-depth knowledge of technology platforms and profound understanding of engineering design requirements & industry expertise to offer end-to-end design services. We set up the dedicated qualified design team for delivering 3D design & modeling, drafting, BOM, specification, process chart as per customer requirements. We have our internal set processes for professional services with complete monitoring and visibility to our clients.



SCM & Retail Network

NCG team is capable of expanding network for sales & distribution for established or new brands. The operational intensive experienced team along with global exposure in supply chain management & network development helps us in setting up of efficient network.

NCG team has developed a niche services for growing retail companies in setting up their Supply Chain Processes and managing their Sale Operations. The team understands the critical success factors of retail operations making it viable for the retail organizations to achieve profitability through lean processes.

NOTES

.....

.....

.....

.....

.....



.....

.....

.....

.....

GLOBAL FOOTPRINTS



Works : Plot No. C-134, Industrial Area Phase VIII, Sector 72,
SAS Nagar Mohali, Punjab, India Pin- 160071

Registered Office : SCO: 117/118(2nd Floor), Sector -17/B,
Chandigarh, India Pin- 160017.

Mobile : +91-97790-44006 / 98770-78268

E-mail : info@ncgcorporate.com

Website : www.ncgcorporate.com



FOLLOW US ON :   